

COLLEGE OF THE REDWOODS DINING HALL



7351 TOMPKINS HILL ROAD
EUREKA, CA 95501

1ST DSA SUBMITTAL SET
12/08/2025

STATEMENT OF GENERAL CONFORMANCE

Application No.: 01-122731
File No.: 12-C1

The drawings identified as follows:
All drawing sheets included in this set not bearing my stamp and signature, have been prepared by other design professionals or consultants who are licensed and authorized to prepare such drawings (plans) in this state. They have been examined by me for:

1) Design intent and appear to meet the appropriate requirements of Title 24, California Code of Regulations and the project specifications prepared by me, and
2) Coordination with my drawings (plans) and specifications and are acceptable for incorporation into the construction of this project.

Per Title 24, Part 1, Section 4-316(b), This Statement of General Conformance shall not be construed as relieving me of my rights, duties, and responsibilities under Sections 17302 and 81138 of the Education Code and Sections 4-336, 4-341 and 4-344 of Title 24, Part 1.

Signature	12/08/25
RYAN FLAUTZ	Date
Printed Name	C37768
	07/31/25
	License Number
	Expiration Date

CR COLLEGE OF THE REDWOODS
7351 Tompkins Hill Rd.
Eureka, CA 95501
707-476-4100

A0-00



433 S. Spring St., Suite 750
Los Angeles, CA 90013
ktgy.com
310.394.2625

KTGY PROJECT NO: 20200629



SCALE:
1/8" = 1'-0"

2

AVERAGE GRADE PLANE CALCULATION


SCALE:
1/16" = 1'-0"

1




It is the clients responsibility prior to or during construction to notify the architect in writing of any perceived errors or omissions in the plans and specifications of which a contractor thoroughly knowledgeable with the building codes and methods of construction should reasonably be aware. Written instructions addressing such perceived errors or omissions shall be received from the architect prior to the client or clients subcontractors proceeding with the work. The client will be responsible for any defects in construction if these procedures are not followed.

JURISDICTION STAMP




AVERAGE GRADE PLANE & BUILDING HEIGHT CALCULATIONS

A0-13



DINING HALL - BUILDING HEIGHTS AND AREAS						AREA 1	
SINGLE OCCUPANCY - MAXIMUM 3 STORIES							
CLASSIFICATION	OCCUPANCY CLASSIFICATION:					A-2	
	TYPE OF CONSTRUCTION:					V-B	
	SPRINKLER SYSTEM:					S1	
	SPRINKLER INCREASE:					AREA	
	FRONTAGE INCREASE						
	PERCENTAGE OF BUILDING PERIMETER:					0	
ALLOWABLE	OPEN SPACE LENGTH (FEET):					0	
	ALLOWABLE HEIGHT AND STORIES						
	BUILDING HEIGHT (TABLE 504.3):					40	
	NUMBER OF STORIES (TABLE 504.4):					1	
	ALLOWABLE AREA						
	TABULAR AREA FACTOR A1 (TABLE 506.2):					24,000	
PROVIDED	TABULAR AREA FACTOR NS (TABLE 506.2):					6,000	
	FRONTAGE INCREASE FACTOR (TABLE 506.3.3):					1	
	$Aa = A1 \times (NS \times I)$					Aa = 24,000	
	PROVIDED BUILDING AREA						
	AREA PER LEVEL						
	LEVEL:	1	10,971	LESS THAN	24,000		
LEVEL:	2	0	LESS THAN	24,000			
LEVEL:	3	0	LESS THAN	24,000			

[illegible]

A0-14

COLLEGE OF THE REDWOODS STUDENT HOUSING



7351 TOMPKINS HILL ROAD
EUREKA, CA 95501

2ND DSA SUBMITTAL
01/23/2026

STATEMENT OF GENERAL CONFORMANCE

Application No.: 01-122342
File No.: 12-C1

The drawings identified as follows:
All drawing sheets included in this set not bearing my stamp and signature have been prepared by other design professionals or consultants who are licensed and authorized to prepare such drawings (plans) in this state. They have been examined by me for:

1) Design intent and appear to meet the appropriate requirements of Title 24, California Code of Regulations and the project specifications prepared by me, and
2) Coordination with my drawings (plans) and specifications and are acceptable for incorporation into the construction of this project.

Per Title 24, Part 1, Section 4-316(b): This Statement of General Conformance shall not be construed as relieving me of my rights, duties, and responsibilities under Sections 17302 and 81138 of the Education Code and Sections 4-336, 4-341 and 4-344 of Title 24, Part 1.

Signature	01/23/26
RYAN FLAUTZ	Date
Printed Name	07/31/27
C37768	Expiration Date
License Number	

CR COLLEGE OF THE REDWOODS
7351 Tompkins Hill Rd.
Eureka, CA 95501
707-476-4100

A0-00



433 S. Spring St., Suite 750
Los Angeles, CA 90013
ktgy.com
310.394.2625

KTGY PROJECT NO: 20200629



RESIDENTIAL - NORTH ELEVATION - BUILDING HEIGHT CALCULATIONS

SCALE:
1/8" = 1'-0"

2



RESIDENTIAL - AVERAGE GRADE PLANE CALCULATION				
SEGMENT	POINT 1 ELEVATION (FT.)	POINT 2 ELEVATION (FT.)	SEGMENT LENGTH (FT.)	ELEVATION TOTAL: AVERAGE ELEVATION x LENGTH
1	61.00	60.10	239.19	14,482.95
2	60.10	60.55	84.58	5,102.29
3	60.55	60.85	100.08	6,074.86
4	60.90	60.90	49.29	3,001.76
5	60.90	60.60	115.67	7,026.95
6	60.60	60.60	31.75	1,924.05
7	60.60	61.00	156.72	9,526.58
8	61.00	61.00	54.50	3,324.50
TOTALS:			631.78	50,465.94
AVERAGE GRADE PLANE:				60.67



433 S. Spring St., Suite 750
Los Angeles, CA 90013
ktgy.com
310.394.2625

ktgy Project Number 20200629
Project Contact: Jose Castillo-Zeng
Email: jcastillo@ktgy.com
Principal: Ryan Flautz
Project Designer: David Senden


Client
COLLEGE OF THE REDWOODS
7351 Tompkins Hill Rd.
Eureka, CA 95501
PHONE NO. 707-476-4100
FAX NO.

COLLEGE OF THE REDWOODS
STUDENT HOUSING
7351 TOMPKINS HILL ROAD
EUREKA, CA 95501
NOT FOR CONSTRUCTION

No.	Date	Description
06/23/2023		100% DESIGN DEVELOPMENT SET
06/26/2023		100% DESIGN DEVELOPMENT SET
03/19/2025		100% DESIGN DEVELOPMENT SET
03/21/2025		100% DESIGN DEVELOPMENT SET
03/26/2025		100% DESIGN DEVELOPMENT SET
05/09/2025		1ST DSA SUBMITTAL
05/20/2025		1ST DSA SUBMITTAL
01/23/2026		2ND DSA SUBMITTAL

It is the client's responsibility prior to or during construction to notify the architect in writing of any perceived errors or omissions in the plans and specifications of which a contractor thorough knowledge with the building codes and methods of construction should reasonably be aware. Written instructions addressing such perceived errors or omissions shall be received from the architect prior to the client or client's subcontractor proceeding with the work. The client will be responsible for any defects in construction if these procedures are not followed.

JURISDICTION STAMP



AVERAGE GRADE
PLANE & BUILDING
HEIGHT
CALCULATIONS

A0-13

LEVEL 01 - AVERAGE GRADE PLANE CALCULATION

SCALE:
1/16" = 1'-0"

1



SCALE:
3/64" = 1'-0"

3



SCALE:
3/64" = 1'-0"

1

2022 CALIFORNIA BUILDING CODE SECTION 202

AREA, BUILDING. THE AREA INCLUDED WITHIN SURROUNDING EXTERIOR WALLS, OR EXTERIOR WALLS AND FIRE WALLS, EXCLUSIVE OF VENT SHAFTS AND COURTS. AREAS OF THE BUILDING NOT PROVIDED WITH SURROUNDING WALLS SHALL BE INCLUDED IN THE BUILDING AREA IF SUCH AREAS ARE INCLUDED WITHIN THE HORIZONTAL PROJECTIONS OF THE ROOF OR FLOOR ABOVE.

FLOOR AREA, GROSS. THE FLOOR AREA WITHIN THE INSIDE PERIMETER OF THE EXTERIOR WALL OF THE BUILDING UNDER CONSIDERATION, EXCLUSIVE OF THE VENT SHAFTS AND COURTS, WITHOUT DEDUCTION FOR CORRIDORS, STAIRWAYS, RAMPS, CLOSETS, THE THICKNESS OF INTERIOR WALLS, COLUMNS OR OTHER FEATURES. THE FLOOR AREA OF A BUILDING, OR PORTION THEREOF, SHALL BE THE GROSS FLOOR AREA OF THE BUILDING OR PORTION THEREOF, UNDER THE HORIZONTAL PROJECTION OF THE ROOF OR FLOOR ABOVE. THE GROSS FLOOR AREA SHALL NOT INCLUDE SHAFTS WITH NO OPENINGS OR INTERIOR COURTS.

THE AREAS INDICATED ARE FOR THE PURPOSE OF BUILDING DEPARTMENT SUBMITTAL ONLY AND ARE NOT TO BE USED FOR CONSTRUCTION ESTIMATES, ENERGY CALCULATIONS, SALES, AND MARKETING LITERATURE, OR ANY OTHER PURPOSES. AREA CALCULATIONS FOR THESE PLANS WERE MADE BASED ON PLAN DIMENSIONS ONLY AND MAY VARY FROM THE AREA AS BUILT. ANY AREA CALCULATIONS PROVIDED OTHER THAN THOSE MANDATED BY CODE SHALL BE NOTED AS TO THEIR METHOD OF CALCULATION AND PURPOSE OF INCLUSION.

TYPE V-A CONSTRUCTION (RESIDENTIAL & STUDENT LOUNGE)

AREA BOUNDARY

BUILDING AREA SCHEDULE

BUILDING TYPE		TOTAL AREA
LEVEL 01		
TYPE V-A / RESIDENTIAL - EAST		12,569 SF
TYPE V-A / RESIDENTIAL - WEST		6,365 SF
TYPE V-A / STUDENT LOUNGE		1,848 SF
		20,782 SF
LEVEL 02		
TYPE V-A / RESIDENTIAL		18,994 SF
		18,994 SF
LEVEL 03		
TYPE V-A / RESIDENTIAL		19,155 SF
		19,155 SF
GRAND TOTAL:		58,931 SF


BUILDING HEIGHTS AND AREAS

CLASSIFICATION	OCCUPANCY		OCCUPANCY CLASSIFICATION:		R-2		
					A-3		
	TYPE OF CONSTRUCTION:				V-A		
	SPRINKLER SYSTEM:				SM		
	R-2 SPRINKLER INCREASE				AREA		
	A-3 SPRINKLER INCREASE				AREA		
	<u>FRONTAGE INCREASE</u>						
	PERCENTAGE OF BUILDING PERIMETER:				0		
	OPEN SPACE LENGTH (FEET):				0		
	ALLOWABLE	R-2	<u>ALLOWABLE HEIGHT AND STORIES</u>				
BUILDING HEIGHT (TABLE 504.3):			60				
NUMBER OF STORIES (TABLE 504.4):			4				
<u>ALLOWABLE AREA</u>							
TABULAR AREA FACTOR A1 (TABLE 506.2):			36,000				
A-3		TABULAR AREA FACTOR NS (TABLE 506.2):		12,000			
		FRONTAGE INCREASE FACTOR (TABLE 506.3.3):		0			
		Aa = [A1 + (NS x I)]		Aa = 36,000			
		<u>ALLOWABLE HEIGHT AND STORIES</u>					
		BUILDING HEIGHT (TABLE 504.3):		50			
PROVIDED	R-2	NUMBER OF STORIES (TABLE 504.4):		2			
		<u>ALLOWABLE AREA</u>					
		TABULAR AREA FACTOR A1 (TABLE 506.2):		34,500			
		TABULAR AREA FACTOR NS (TABLE 506.2):		11,500			
		FRONTAGE INCREASE FACTOR (TABLE 506.3.3):		0			
	A-3	Aa = [A1 + (NS x I)]		Aa = 34,500			
		<u>PROVIDED BUILDING AREA</u>					
		AREA PER LEVEL					
			R-2	RATIO	A-3	RATIO	RATIO SUM
		LEVEL:	1	18,934	0.53	1,848	0.05
LEVEL:	2	18,994	0.53	-	-	0.53	< 1
LEVEL:	3	19,155	0.53	-	-	0.53	< 1
TOTAL MAXIMUM = 2				1.64		< 2	

[illegible]

It is the client's responsibility prior to or during construction to notify the architect in writing of any perceived errors or omissions in the plans and specifications of which a contractor thoroughly knowledgeable with the building codes and methods of construction should reasonably be aware. Written instructions addressing such perceived errors or omissions shall be received from the architect prior to the client or clients subcontractors proceeding with the work. The client will be responsible for any defects in construction if these procedures are not followed.

JURISDICTION STAMP



GROSS BUILDING AREAS

A0-14



433 S. Spring St., Suite 750
Los Angeles, CA 90013
ktgy.com
310.394.2625

ktav Project Number	20200629
---------------------	----------

Project Contact: Jose Castillo-Zencun

Email: jcastillo@ktgy.com

Principal: Ryan Flautz

Client

COLLEGE OF THE REDWOODS



7351 Tompkins Hill Rd

Eureka, CA 95501

PHONE NO.

707-476-4100

FAX NO.

**COLLEGE OF THE REDWOODS
STUDENT HOUSING**

STUDENT HOUSING

7351 TOMPKINS HILL ROAD
ELIPEKA CA 95501

NOT FOR CONSTRUCTION

CAMPUS PARKING ANALYSIS									
PARKING LOT	DSA APPL. NO.	TOTAL PARKING SPACES PER LOT	ACCESSIBLE SPACES REQUIRED	VAN ACCESSIBLE SPACES REQUIRED (1 IN 6 OF SPACES)	ACCESSIBLE SPACES PROVIDED	VAN ACCESSIBLE SPACES PROVIDED	TOTAL ACCESSIBLE SPACES PROVIDED	DIFFERENCE	
A - STUDENT & VISITOR	-	132	7	1	0	0	0	-5	
B - STUDENT & VISITOR	35895	230	5	2	3	1	4	0	
C - STUDENT & VISITOR	-	106	5	1	0	0	0	-5	
D - STUDENT & VISITOR	-	403	9	2	0	0	0	-9	
E - STUDENT & VISITOR	01-119705	753	16	3	4	12	4	16	0
F - STUDENT	-	84	3	1	1	0	0	-2	
G - STAFF	-	40	2	1	0	2	2	0	
H - STAFF	-	11	1	1	1	12	0	-1	
I - STAFF	-	11	1	1	5	2	7	6	
J - STAFF	01-102284	7	1	1	5	2	7	6	
K - STAFF	-	23	1	1	4	0	4	3	
L - STAFF	-	23	1	1	4	0	4	3	
TOTAL:		1,891	61	24					16

PARKING LOT	DSA APPL. NO.	TOTAL PARKING SPACES PER LOT	ACCESSIBLE SPACES REQUIRED	VAN ACCESSIBLE SPACES REQUIRED (1 IN 6 OF SPACES)	ACCESSIBLE SPACES PROVIDED	VAN ACCESSIBLE SPACES PROVIDED	TOTAL ACCESSIBLE SPACES PROVIDED	DIFFERENCE
A- STUDENT & VISITOR	-	132	5	1	0	0	0	-5
B- STUDENT & VISITOR	35895	230	7	2	3	1	4	-3
C- STUDENT & VISITOR	-	106	5	1	0	0	0	-5
D- STUDENT & VISITOR	-	403	9	2	0	0	0	-9
E- STUDENT & VISITOR	01-119705	763	16	3	12	4	16	0
F- STUDENT	-	64	3	1	1	0	1	-2
G- STAFF	-	40	2	1	0	2	2	0
H- STAFF	-	11	1	1	12	0	0	-1
I- STAFF	-	11	1	1	5	2	7	1
J- STAFF	01-102284	7	1	1	5	2	7	6
K- STAFF	-	23	1	1	4	0	4	3
L- STAFF	-	23	1	1	4	0	4	3


PARKING LOT	DSA APPL. NO.	TOTAL PARKING SPACES PER LOT	ACCESSIBLE SPACES REQUIRED	VAN ACCESSIBLE SPACES REQUIRED (1 IN 6 OF SPACES)	ACCESSIBLE SPACES PROVIDED	VAN ACCESSIBLE SPACES PROVIDED	TOTAL ACCESSIBLE SPACES PROVIDED	DIFFERENCE
M - STAFF	-	13	1	1	0	0	0	-1
N - STAFF	01-102284	12	1	1	4	1	5	4
O - STAFF	01-102284	7	1	1	5	2	7	6
P - STAFF	01-103211	7	1	1	6	1	7	6
Q - STAFF	01-106948	8	1	1	2	1	3	2
R - STAFF	01-119705	2	1	1	1	1	2	1
S - STAFF	01-119705	21	2	1	2	1	3	1
T - STAFF	01-119705	5	1	1	2	1	3	2
U - STAFF	01-110339	2	1	1	2	0	2	1
V - STAFF (4 EVCS)	01-122342	9	1	1	0	0	1	0
W - STAFF	01-122731	2	1	1	0	2	2	1
TOTAL:		1,891	64				80	16

BUILDING ID & DSA APPL. NO.			
BLDG. NO.	BUILDING NAME	DSA APPL. NO.	
1	CREATIVE ARTS (CA) - DEMOLISHED	35895	29632
2	FORMER PHYSICAL SCIENCE (PS) - DEMOLISHED	27136, 41318	01-110335
3	FORMER LIFE SCIENCE (LS) - DEMOLISHED	27136, 41318	01-110335
4	REDWOOD BUSINESS COMPLEX (RBC-C) - DEMOLISHED	27136, 41318	32246, 29215, 01-109498
5	SCIENCE (SC)	111305	
6, 7	STUDENT RESOURCE CENTER (SRC)	29632, 33693, 54127	
8	HUMANITIES (HU)	111305	01-103211
9	REDWOOD BUSINESS COMPLEX B (RBC-B) - NO STUDENTS	27136, 23895, 41550	33802
10	REDWOOD BUSINESS COMPLEX A (RBC-A) - NO STUDENTS	34121	28689
11	LEARNING RESOURCE CENTER (LC)	01-102284	28689
12	APPLIED TECHNOLOGY (AT) - PHASE 1	27136, 41318	35325, 27641
13	APPLIED TECHNOLOGY (AT) - PHASE 2	36818, 40508	28689
14	ACADEMY OF THE REDWOODS OFFICE (AR-O)	35026	36494
15	GREENHOUSE (GH)	35026	
16	ACADEMY OF THE REDWOODS CLASSROOM (AR-C)	43024	
	DEL NORTE RESIDENCE HALL (DH)	29632	

BLDG. NO.	BUILDING NAME	DSA APPL. NO.
1	CREATIVE ARTS (CA) - DEMOLISHED	35895
2	FORMER PHYSICAL SCIENCE (PS) - DEMOLISHED	27136, 41318
3	FORMER LIFE SCIENCE (LS) - DEMOLISHED	27136, 41318
4	REDWOOD BUSINESS COMPLEX C (RBC-C) - DEMOLISHED	27136, 41318
5	SCIENCE (SC)	111305
6, 7	STUDENT RESOURCE CENTER (C)	29632, 33693, 54127
8	HUMANITIES (HU)	111305
9	REDWOOD BUSINESS COMPLEX B (RBC-B) - NO STUDENTS	27136, 23895, 41550
10	REDWOOD BUSINESS COMPLEX A (RBC-A) - NO STUDENTS	41120
11	LEARNING RESOURCE CENTER (LC)	01-102284
12	APPLIED TECHNOLOGY (AT) - PHASE 1	27136, 41318
13	APPLIED TECHNOLOGY (AT) - PHASE 2	36818, 40508
14	ACADEMY OF THE REDWOODS OFFICE (AR-O)	35026
14	GREENHOUSE (GH)	35026
15	ACADEMY OF THE REDWOODS CLASSROOM (AR-C)	43024
16	DEL NORTE RESIDENCE HALL (RH)	29632

BLDG. NO.	BUILDING NAME	AS4 APPL. NO.
17	MENDOCINO RESIDENCE HALL (MH)	29632
18	STUDENT SERVICES / ADMINISTRATION (SS/AD)	01-110335
19	PERFORMING ARTS THEATER (TH)	01-110335
20	PHYSICAL EDUCATION (PE)- TO BE DEMOLISHED UNDER #01-106948	32246, 29215, 01-106948
21	FIELD HOUSE (FH) - TO BE DEMOLISHED UNDER #01-106948	28989, 01-106948
22	CHILD DEVELOPMENT CENTER (CDC)	01-103211
23	ADMINISTRATION OF JUSTICE (AJ)	38932
24	MAINTENANCE SHOP (MN)	28889
25	WAREHOUSE / MAILROOM (WH)	35889
26	FIRMS RANGE	28323, 27641
27	MAINTENANCE CRAFTS BUILDING	20899
28	CONCESSIONS	36494
60, 61, 62, 63, 64	CREATIVE ARTS (CA) - NEW CONSTRUCTION	01-118853
65	PHYSICAL EDUCATION BUILDING (PE)	01-119706
	FIELDHOUSE BUILDING	01-119705


CAMPUS PLAN LEGEND

	PROPERTY LINE
	FAULT FREE ZONE BOUNDARY LINE
	NEW PATH OF TRAVEL PART OF DSA #01-122342
	EXISTING CAMPUS PATH OF TRAVEL PART OF DSA #01-118553 & #01-119705
	20' EXISTING FIRE TRUCK ACCESS ROAD PART OF DSA #01-118553 & #01-119705
	20' NEW FIRE TRUCK ACCESS ROAD PART OF DSA #01-122342
	NEW BUILDING PART OF DSA #01-122342
	BUILDINGS NOT PART OF SCOPE PART OF DSA #01-122731
	DEMOLISHED BUILDINGS

CAMPUS PLAN GENERAL NOTES

1. THERE IS NO PUBLIC BUS STOP AT THE MAIN ENTRANCE TO CAMPUS ON TOMPKINS HILLS ROAD. THE MAIN PUBLIC BUS STOP IS DESIGNATED WITH A STAR AT THE TRAFFIC CIRCLE IN FRONT OF BUILDING 18 - STUDENT SERVICES / ADMINISTRATION CAMPUS
2. NEW STUDENT HOUSING: NO EVCS REQUIRED, REFER TO CALCULATIONS ON SHEET A0-02.
3. FOR FIRE BUILDING ROAD DETAILS, REFER TO SHEET A0-40 AND CIVIL SHEET C7.0.
4. FOR FIRE HYDRANT LOCATIONS, REFER TO SHEET A0-40 AND CIVIL SHEET D3.0.
5. FOR ACCESS EGRESS DISCHARGE AND CONNECTION TO P.O.T. REFER TO SHEET A1-01.
6. PER CBC 118-2024 (EXCEPTION 2) P.O.T. UPGRADE NOT REQUIRED. REFER TO EXISTING P.O.T. D.S.A. APPLICATION NUMBERS.
7. THE ACCESSIBLE PATH OF TRAVEL AS INDICATED ON PLAN IS A BARRIER FREE ACCESS ROUTE WITHOUT ANY ABRUPT LEVEL CHANGES EXCEEDING 1/2" BEVELED AT 12 MAX SLOPE OR VERTICAL LEVEL CHANGE NOT EXCEEDING 1/4" MAX AND AT LEAST 48" WIDE. SURFACE IS SLIP RESISTANT, STABLE, FIRM AND SMOOTH. CROSS SLOPE DOES NOT EXCEED 2% AND DOES NOT IN THE DIRECTION OF TRAVEL IS LESS THAN 5% UNLESS OTHERWISE INDICATED.

1. THERE IS NO PUBLIC BUS STOP AT THE MAIN ENTRANCE TO CAMPUS ON TOMPKINS HILLS ROAD. THE MAIN PUBLIC BUS STOP IS DESIGNATED WITH A STAR AT THE TRAFFIC CIRCULAR POINT OF VIEW OF THE MAIN ENTRANCE TO CAMPUS ON TOMPKINS HILLS ROAD. ACCESSIBILITY BEGINS AT THIS POINT.
2. IF A PRESENT HOUSEHOLD OR BUSINESS IS REQUIRED, REFER TO CALCULATIONS ON SHEET A-02 FOR FIRE ACCESS ROAD DETAILS. REFER TO SHEET A-40 AND CIVIL SHEET C7.0.
3. FOR FIRE HYDRANT LOCATIONS, REFER TO SHEET A-40 AND CIVIL SHEET C8.0.
4. FOR BUILDING ELEVATIONS, REFER TO SHEET A-40 AND CIVIL SHEET C7.0.
5. PER CIB 118-2040 EXCEPTION 3, P. 20. UPGRADE NOT REQUIRED. REFER TO EXISTING DATA FOR A-40 APPROXIMATE ELEVATIONS.
6. THE ACCESSIBLE PATH OF TRAVEL AS INDICATED ON PLAN IS A BARRIER FREE ACCESS ROUTE WITHOUT ANY ABRUPT LEVEL CHANGES EXCEEDING 1/2" PER FEET AT 2" MAX. SLOPE OR VERTICAL CURVES WITH A MINIMUM OF 10' LENGTH AT LEAST. ALL SURFACE IS SLIP RESISTANT, STABLE, FIRM AND SMOOTH. CROSS SLOPE DOES NOT EXCEED 2%.
7. THE MINIMUM SLOPE IN THE DIRECTION OF TRAVEL IS LESS THAN 6% AND LESS THAN 1% IN OTHER DIRECTIONS.



SCALE: 1" = 140'-0"	2
------------------------	---

SCALE:
1" = 140'-0"

2

SCALE: 1" = 140'-0"	1
------------------------	---


SCALE:
1" = 140'-0"

1

[illegible]

It is the clients responsibility prior to or during construction to notify the architect in writing of any perceived errors or omissions in the plans and specifications of which a contractor thoroughly knowledgeable with the building codes and methods of construction should reasonably be aware. Written instructions addressing such perceived errors or omissions shall be received from the architect prior to the client or clients subcontractors proceeding with the work. The client will be responsible for any defects in construction if these procedures are not followed.

JURISDICTION STAMP



CAMPUS SITE PLAN